

14:7

S.B. IGR PASTURE

MINERAL

MEDICATED
(For Ruminants Only)

FOR BEEF CATTLE ON PASTURE

ACTIVE DRUG INGREDIENT

Lasalocid 700 gr/ton

INDICATIONS FOR USE: For increased rate of weight gain in pasture cattle (slaughter, stocker, feeder cattle, and dairy and beef replacement heifers).

CAUTION: Do not allow horses or other equines access to premixes or supplements containing lasalocid, as ingestion may be fatal. The safety of lasalocid in unapproved species has not been established. Feeding undiluted or mixing errors resulting in excessive concentrations of lasalocid could be fatal to cattle and sheep. When mixing and handling lasalocid premix, use protective clothing, impervious gloves and a dust mask. Avoid contact with eyes. Operators should wash thoroughly with soap and water after handling.

WARNING: A withdrawal period has not been established for this product in preruminating cattle. Do not use in calves to be processed for veal.

GUARANTEED ANALYSIS

Calcium, not less than	12.00%
Calcium, not more than	16.00%
Phosphorus, not less than	7.00%
Salt, not less than	16.00%
Salt, not more than	20.00%
Zinc, not less than	5,000 PPM
Copper, not less than	1,800 PPM
Selenium, not less than	35 PPM
Vitamin A, not less than	150,000 I.U./lb.
Vitamin E, not less than	500 I.U./lb.

INGREDIENTS: Dicalcium phosphate, monocalcium phosphate, salt, calcium carbonate, cane molasses, potassium chloride, magnesium oxide, mineral oil, vitamin A supplement, vitamin D3 supplement, vitamin E supplement, zinc sulfate, manganese sulfate, copper sulfate, ethylenediamine dihydriodide, cobalt glucoheptonate, sodium selenite, selenium yeast, cinnamaldehyde, anethole, eugenol, carvacrol, capsaicin, and artificial flavors.

FEEDING DIRECTIONS:

FOR INCREASED RATE OF WEIGHT GAIN: Feed continuously at a rate of no less than 60 mg. nor more than 300 mg./head/day.

Manufactured by
LYSSY & ECKEL, INC.
POTH, TEXAS 78147

Net Wt. 50 lbs. (22.6 kg.)

842