# SHOW LAMB

## 16/4

## Medicated

(For Ruminants Only)

### FOR GROWING LAMBS BEING FITTED FOR SHOW

For the prevention of coccidiosis in young caused by Eimeira bakuenis, Eimeria crandallis, Eimeria ovinoidalis and Eimeria parva.

#### ACTIVE DRUG INGREDIENT

Decoquinate	22.7
mg./lb.	
GUARANTEED ANALYSIS	
Crude Protein, not less than	16.00%
(Includes not more than 0.75% equivalent protein from non-protein nitrogen)	
Crude Fat, not less than	4.00%
Crude Fiber, not more than	12.00%
Calcium, not less than	0.70%
Calcium, not more than	1.10%
Phosphorus, not less than	0.40%
Salt, not less than	0.20%
Salt, not more than	0.40%
Zinc, not less than	120 ppm
Manganese, not less than	80 ppm

**INGREDIENTS:** Steam crimped corn, steam crimped oats, steam crimped barley, dehulled soybean meal, dehydrated alfalfa meal, cottonseed hulls 6%, cane molasses, soybean oil, calcium carbonate, dicalcium phosphate, monocalcium phosphate, ammonium chloride, sodium molybate, dried marine algae, salt, yucca schidegera, potassium sulfate, magnesium sulfate, vitamin A supplement, vitamin D3 supplement, vitamin E supplement, hemicellulose extract, carvacrol, autolyzed brewers dried yeast, extracted citric acid presscake, active dry yeast, brewers dried yeast, saccharomyces cerevisiae fermentation extract, dried aspergillus oryzae fermentation extract, dried bacillus licheniformis fermentation extract, dried bacillus subtillis fermentation extract, vitamin B12 supplement, menadione sodium bisulfite complex, folic acid, choline chloride, riboflavin supplement, niacin supplement, d-calcium pantothenate, zinc sulfate, zinc amino acid complex, manganese sulfate, manganes amino acid complex, ethylenediamine dihydriodide, sodium selenite, selenomethionine, cobalt sulfate, cobalt glucoheptonate, dried enterococcus faecium fermentation product, dried lactobacillus acidophilus fermentation product, dried bacillus subtillus fermentation product, aspergillus oryzae fermentation product and artificial flavors.

FEEDING DIRECTIONS: SHOW LAMB 16/4 is a complete ration for sheep being fitted for show. Feed SHOW LAMB 16/4 continuously at a rate to provide 22.7 mg, per 100 lb. of bodyweight (0.5 mg./kg.) per day. Always maintain a source of fresh drinking water.

**WARNING:** Do not feed to sheep producing milk for food.

LIMITATIONS FOR USE: Feed at least 28 days during periods of exposure to coccidiosis or when experience indicates that it is likely to be a hazard.

> Manufactured by Lyssy & Eckel, Inc. Poth, Texas Net Wt. 50 lbs. (22.6 kg.)