



ALL-NATURAL SHEEP 16



FOR SHEEP, HAIR AND MEAT GOATS ON NATIVE AND IMPROVED PASTURE

GUARANTEED ANALYSIS

Crude Protein, min	16.00%	Manganese (Mn), min	800 ppm
Crude Fat, min.....	4.00%	Copper (Cu), min	5 ppm
Crude Fiber, max.....	4.00%	Copper (Cu), max.....	13 ppm
Calcium (Ca), min	2.00%	Cobalt (Co), min	45 ppm
Calcium (Ca), max	3.00%	Iodine (I), min	40 ppm
Phosphorus (P), min	1.50%	Selenium (Se), min.....	12 ppm
Salt (NaCl)	0 added	Vitamin A, min	100,000 IU/lb
Magnesium (Mg), min.....	2.50%	Vitamin D, min	25,000 IU/lb
Potassium (K), min.....	2.00%	Vitamin E, min.....	100 IU/lb
Zinc (Z), min.....	1000 ppm	Thiamine, min.....	200 mg/lb
		Total Sugars (as invert), min	26.00%

INGREDIENTS

Cane Molasses, Cottonseed Meal, Monocalcium Phosphate, Hydrolyzed Feather Meal, Magnesium Oxide, Vegetable Oil, Propionic Acid (preservative), Cobalt Carbonate, Calcium Carbonate, Sodium Selenite, Vitamin A Supplement, Vitamin D3 Supplement, Vitamin E Supplement, Zinc Hydroxychloride, Manganese Hydroxychloride, Selenium Yeast, Thiamine Mononitrate and Ethylenediamine Dihydriodide

Manufactured By:
Hudson Livestock Supplements, Inc.
8150 Thompson Rd
Miles, TX 76861
(325) 659-3992 * 1-800-750-9608

FEEDING RECOMMENDATIONS

Consumption will vary depending upon the condition of the animals, quality and quantity of forages being fed, weather conditions, and most importantly the feeding location of the tubs with respect to loafing, grazing, feeding, and watering areas.

Sheep and goats will consume approximately 2 to 4 ounces per head daily. Tubs should be distributed at the rate of one tub per 20-30 head. Place the tubs where animals congregate (loafing, grazing, feeding, and watering areas). Feed the tubs continuously along with plentiful sources of forage and clean, fresh water. Provide free-choice salt at all times. When feedstuffs are limited, additional nutrients may be required. Contact your feed representative for specific recommendations.

INTRODUCTION PERIOD: During the first week of use, place the tubs approximately 100 feet from loafing and/or watering areas. As livestock become acclimated to the presence of the tubs, repositioning may be necessary to achieve proper consumption. Move tubs closer to increase, further away to decrease consumption. If overconsumption occurs for more than two weeks and repositioning does not correct the situation, remove tubs and evaluate the overall feeding program.

NO SULFATES

NO OXIDES

NET WEIGHT 125 lb (56.70 kg)